

DPD-3134-59

Contract No. HF-CJ-2219
Amendment No. 7

Eastman Kodak Company
Rochester, New York

Gentlemen:

1. Please refer to Contract No. HF-CJ-2219 dated 20 January 1958, between the United States Government and Eastman Kodak Company.
2. In accordance with the provisions of the contract schedule referred to herein and mutual agreement between the parties hereto, it is necessary and in the interest of the Government to amend the contract in certain particulars as follows:
 - a. PART I - SERVICES AND SUPPLIES TO BE FURNISHED BY CONTRACTOR, of the contract schedule is amended by adding the following Paragraph f. to provide for the furnishing of additional work and services under the contract:
 - f. Furnish the services of one or more qualified persons to make trips to each plant as required during the term of this contract to monitor the quality of material processed at the plants, in accordance with the Contractor's proposal dated 3 December 1958.
 - b. In accordance with the provisions of PART IV - REPRICING, in the contract schedule, the contract rates set forth in APPENDIX V, attached hereto, shall be effective for the periods stated therein.
3. All other terms and conditions of Contract No. HF-CJ-2219, as amended, remain unchanged.
4. Please indicate your receipt of this Amendment No. 7 to Contract No. HF-CJ-2219 and your acceptance thereof by executing the original and two copies thereof. Return the fully executed original and one copy to the undersigned and retain the remaining copy for your files.

25X1

ACKNOWLEDGED AND ACCEPTED
EASTMAN KODAK COMPANY

BY

TITLE Vice-President and
General Manager, A&O Division
DATE May 21, 1959

Very truly yours,

Contracting Officer

25X1

APPENDIX V

Period 12-30-58 through 1-25-59

| Labor Categories | Basic Hourly Rate | Plant Overhead 187% | Total | G & A Expense 4.4% | Total | Profit 7% | Grand Total Contract Hourly Rates |
|---------------------|-------------------------|---------------------------|---------|--------------------------|----------|--------------|---|
| Lab Hand #1 | \$ 3.40 | \$ 6.36 | \$ 9.76 | \$.43 | \$ 10.19 | \$.71 | \$ 10.90 |
| Lab Hand #2 | 2.96 | 5.54 | 8.50 | .37 | 8.87 | .62 | 9.49 |
| Lab Hand #3 | 2.77 | 5.17 | 7.94 | .35 | 8.29 | .58 | 8.87 |
| Lab Hand #4 | 2.50 | 4.68 | 7.18 | .32 | 7.50 | .52 | 8.02 |
| Lab Hand #5 | 2.21 | 4.13 | 6.34 | .28 | 6.62 | .46 | 7.08 |
| Engineer #1 | 5.96 | 11.15 | 17.11 | .75 | 17.86 | 1.25 | 19.11 |
| Engineer #2 | 4.06 | 7.59 | 11.65 | .51 | 12.16 | .85 | 13.01 |
| Engineer #3 | 2.97 | 5.55 | 8.52 | .37 | 8.89 | .62 | 9.51 |
| Engineer Shop Labor | 2.97 | 5.55 | 8.52 | .37 | 8.89 | .62 | 9.51 |

Period 1-26-59 through 3-23-59

| | | | | | | | |
|---------------------|------|-------|-------|-----|-------|------|-------|
| Lab Hand #1 | 3.57 | 6.68 | 10.25 | .45 | 10.70 | .75 | 11.45 |
| Lab Hand #2 | 3.11 | 5.82 | 8.93 | .39 | 9.32 | .65 | 9.97 |
| Lab Hand #3 | 2.90 | 5.42 | 8.32 | .37 | 8.69 | .61 | 9.30 |
| Lab Hand #4 | 2.62 | 4.90 | 7.52 | .33 | 7.85 | .55 | 8.40 |
| Lab Hand #5 | 2.32 | 4.34 | 6.66 | .29 | 6.95 | .49 | 7.44 |
| Engineer #1 | 6.28 | 11.74 | 18.02 | .79 | 18.81 | 1.32 | 20.13 |
| Engineer #2 | 4.26 | 7.97 | 12.23 | .54 | 12.77 | .89 | 13.66 |
| Engineer #3 | 3.12 | 5.83 | 8.95 | .39 | 9.34 | .65 | 9.99 |
| Engineer Shop Labor | 3.12 | 5.83 | 8.95 | .39 | 9.34 | .65 | 9.99 |

Period 3-24-59 through 6-14-59

| | | | | | | | |
|---------------------|------|-------|-------|------|-------|------|-------|
| Lab Hand #1 | 3.57 | 6.68 | 10.25 | .45 | 10.70 | .75 | 11.45 |
| Lab Hand #2 | 3.11 | 5.82 | 8.93 | .39 | 9.32 | .65 | 9.97 |
| Lab Hand #3 | 2.90 | 5.42 | 8.32 | .37 | 8.69 | .61 | 9.30 |
| Lab Hand #4 | 2.62 | 4.90 | 7.52 | .33 | 7.85 | .55 | 8.40 |
| Lab Hand #5 | 2.32 | 4.34 | 6.66 | .29 | 6.95 | .49 | 7.44 |
| Engineer #0 | 8.79 | 16.44 | 25.23 | 1.11 | 26.34 | 1.84 | 28.18 |
| Engineer #1 | 5.92 | 11.07 | 16.99 | .75 | 17.74 | 1.24 | 18.98 |
| Engineer #2 | 4.26 | 7.97 | 12.23 | .54 | 12.77 | .89 | 13.66 |
| Engineer #3 | 3.30 | 6.17 | 9.47 | .42 | 9.89 | .69 | 10.58 |
| Engineer #4 | 2.70 | 5.05 | 7.75 | .34 | 8.09 | .57 | 8.66 |
| Engineer Shop Labor | 3.12 | 5.83 | 8.95 | .39 | 9.34 | .65 | 9.99 |

G & A Expense Rate for materials and supplies -- 4.4% of Actual Cost (exclusive of G&A Expense) for period 12/30/58 to 6/14/59, incl.